This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Company Comp						•	0
Ministry	103946_at	2 Stylip! (proline serine-threoline phosphatase-interacting protein 1)	·-·	 .			
Composition of this continue and the c	104407 at	Jospa Small intentive type to working Ap J					
# Comparison (Comparison of Comparison of Co	104761_at			_			
# 4 of the propagators type S gene # 2 of the propagators type S gene # 3 of the propagators type S gene # 4 of the propagators type S gene # 4 of the propagators type S gene # 4 of the propagators the propagators that the process propagator the process to the process that the process produced to the process that the proces	160202_at	♠ 5730403E06Rik (RIKEN cDNA 5730403E06 gene)	-	_			
# 16 of propositions of the control	160406_at	ersk gene	 .			1	
	98859 21	Los ollogene Los ollogene Anno fanno					
The content of the	99957 at						
17 17 17 17 17 17 17 17	103017 at	(transmembrane 7 superfamily member 1. integral membran			•	00000	000000
75 (2000) 75 (2015) 75 (166517 f at					Ċ	0.000005
17 17 17 17 17 17 17 17	94556 at	J3 2410004M09Rik (RIKEN cDNA 2410004M09)					
	96481 at	■ C80638 (AV251613 RIKEN full-length enriched, 0 day neonate head Mus musculus cDNA clone 4833432F11 3'. mRNA sequence)	-	_	0.000 I		
Miles Mile	97302_at	150126116Rik (NDI-S, gene with product, function known or inferred)	_	_	0000 0		0,0000005
## GATORS (for it) intellige force 2 receptors, beta 2)	100906_at	16 1gb7 (integrin beta 7)	_		I 0.000	0	0.000001
Ministry Claims and section 5 works 000001 000001 000001 000001 000001 000001 000001 000001 000001 00000001 00000001 00000001 0000001 00	103210_at	# Csf2rb2 (colony stimulating factor 2 receptor, beta 2)			1 0.000	Ö	0.000001
A second to accompany to acco	103690_at		_	beed	I 0.000		
15 Mistage Control 1 Mistage Control 2 Mistage Control	160124_r_at		Local	_	0000 0		
12 Decential general 2 Decential 2 Dec	165770_at	A 1851927 (expressed sequence A1851927)	-		_	0 000005	
22 pair est (fermandy-fuelding changes) 22 pair est (fermandy-fuelding storteme) 23 pair est (fermandy-fuelding storteme) 25 pair est (fermandy-fuelding storteme) 25 pair est (fermandy-fuelding storteme) 26 pair est (fermandy-fuelding storteme homolog 27 pair est (fermandy-fuelding storteme homolog 28 stortemen 12 pair est (fermandy-fuelding storteme homolog 12 pair		2 lipocortin I gene, exon 13	_		I 0.000		0.000001
Name Comparison Compariso		22 Dna ib9 (Dna I (Hsp40) homolog. chanerone)	_	-	_	_	0.000001
### Starby directivated leaders on belief to 200000000000000000000000000000000000		28 pale ear (Hermansky-Pudlak syndrome I homolog)	_		_		0.0000015
Machine Computer		Alcam (activated leukocyte cell adhesion molecule)	_	-	_		0.0000015
1		Stxbp3 (intracellular protein traffic)			0000 0	03	0.0000015
1		🗶 vacuolar adenosine triphosphatase subunit A gene		_	I 0.000	03	0.0000015
15 Stage B alpine were common of the Com		27 Nude - pending (nuclear distribution gene E-like, centrosome)	burn	-	0.000		0.0000015
## 20 PROFIGE Contracts of Contract to MRING MARCHI IV ## 20 PROFICE CONTRACT CONTR		24 kapa B alpha kene, exons 2-6	-	_	0000 0		0.000002
10 000000 0 0000000 0 0000000 0 0000000		24 ESTS. Moderately similar to ANX4 MOUSE ANYEXIN IV		_	0000 0		0.000002
10 10 10 10 10 10 10 10		20 4930506W07Rik (RIKEN cDNA 4930506W07 gene)	,	_	0000 0		0
State Company Compan	-	21 Pers (nentidase 4. metal loendonentidase)					
28 A 17 189669 18960 189600	103923 at	The transmention of superfamily member i			0.000		
1		23 A 1788669 (expressed senience A 1788669)			0.000	92	0.0000025
Compact Comp	-	Wides (voltage-denodent anion channel 2)			-		
Charles (Wiles* Tumour 1*4ssociating protein) 0.00005 0.00007 0.0000		2KR17 (ribosonal protein 1.7)	_		0000 0		
15 Cabera Caber		Wear-pending (Wilms' tumour 1-associating profein)	-	_	0000 O		
1 1 1 1 1 1 1 1 1 1		24 A 13.4824 (extressed sequence A 13.4824)			0.000 I		
11 12 12 12 13 13 13 13		Carbin (C-C) receipt		_	0.000		0.0000035
# ESTS. similar to #81418 Mouse 202 interferon activatable protein mRNA # ESTS care acres when the protein mRNA is the protein mRNA is the protein product of kappa light chain gene enhancer in B-cells inhibitor, alpha) ## Itahia (buclear factor of kappa light chain gene enhancer in B-cells inhibitor, alpha) ## Itahia (buclear factor of kappa light chain gene enhancer in B-cells inhibitor, alpha) ## Itahia (buclear factor of kappa light chain gene enhancer in B-cells inhibitor, alpha) ## Itahia (buclear factor of kappa light chain gene enhancer in B-cells inhibitor, alpha) ## Itahia (buclear factor of kappa light chain gene enhancer in B-cells inhibitor, alpha) ## Itahia (buclear factor of kappa light chain gene enhancer in B-cells inhibitor, alpha) ## Itahia (buclear factor) ## Ita		String (1-real templome investion and materials 1)				0 00000	0.000004
# ESTS (Sources mouse MARH) 14 Care (Sources mouse MARH) 15 Care (Sources mouse MARH) 16 Care (Sources mouse MARH) 17 Care (Sources mouse MARH) 18 Care (Sources mouse MARH) 19 Care (Sources mouse MARH) 19 Care (Sources mouse MARH) 26 Care (Sources mouse MARH) 27 Care (Sources mouse MARH) 28 Care (Sources mouse MARH) 28 Care (Sources mouse MARH) 28 Care (Sources mouse MARH) 29 Care (Sources mouse MARH) 20 Care (Sources mouse MARH) 21 Care (Sources mouse MARH) 22 Care (Sources mouse MARH) 23 Care (Sources mouse MARH) 24 Care (Sources mouse MARH) 25 Care (Sources mouse MARH) 26 Care (Sources mouse MARH) 27 Care (Sources mouse MARH) 28 Care (Sources mouse MARH) 29 Care (Sources mouse MARH) 20 Care (Sources mouse MARH) 20 Care (Sources mouse MARH) 21 Care (Sources mouse MARH) 22 Care (Sources mouse MARH) 23 Care (Sources mouse MARH) 24 Care (Sources mouse MARH) 25 Care (Sources mouse MARH) 26 Care (Sources mouse MARH) 27 Care (Sources mouse MARH) 28 Care (Sources mouse MARH) 29 Care (Sources mouse MARH) 29 Care (Sources mouse MARH) 20 Care (Sources mouse MARH) 20 Care (Sources mouse MARH) 21 Care (Sources mouse MARH) 22 Care (Sources mouse MARH) 23 Care (Sources mouse MARH) 24 Care (Sources mouse MARH) 25 Care (Sources mouse MARH) 26 Care (Sources mouse MARH) 27 Care (Sources mouse MARH) 28 Care (Sources mouse MARH) 29	16,173 f at	LINE TO THE TENTH OF THE STATE	. –		0000 0		
## Acp5 (acid phosphatase 5, tartrate resistant) ## Acp5 (acid phosphatase 5, tartrate resistant) ## Carb (acid phosphatase 6, tartrate cartrasporter, pancreatic - mouse 6, 000001 ## Carb (acid phosphatase 1)	130305 21	W ECTS (Scarae monta Number 202 intelleturi dell'addolle protetti minera			0000 0		
### (Figh in fucient factor of kappa light chain gene enhancer in B-cells inhibitor, alpha) #### (Figh in fucient factor of kappa light chain gene enhancer in B-cells inhibitor, alpha) #### (Figh in fucient factor of kappa light chain gene enhancer in B-cells inhibitor, alpha) ### (Figh in fucient factor of kappa light chain gene enhancer in B-cells inhibitor, alpha) ### (Figh in fucient factor of kappa light chain gene enhancer in B-cells inhibitor, alpha) ### (Figh in fucient factor of kappa light chain gene enhancer in B-cells inhibitor, alpha) ### (Figh in fucient beta light) ### (Figh in fucient li	162543 r at	1 Ann (arid nhachtares foun)			0.000		_
##Wirkis (Inclear Factor of Kappa light chain gene enhancer in B-cells inhibitor, alpha) ##Wirkis (Inclear Factor of Kappa light chain gene enhancer in B-cells inhibitor, alpha) ##Wirkis (Inclear Factor of Kappa light chain gene enhancer in B-cells inhibitor, alpha) ##Wirkis (Inclear Factor of Kappa light chain gene enhancer in B-cells inhibitor, alpha) ### Itagh (Inclear Factor of Kappa light chain gene enhancer in B-cells inhibitor, alpha) ### Itagh (Inclear Factor of Kappa light chain gene enhancer in B-cells inhibitor, alpha) ### Itagh (Inclear Factor of Kappa light (Inclear Factor of Kappa light) ### Itagh (Inclear Factor of Kappa light) #### Itagh (Inclear Factor of Kappa light) #### Itagh (Inclear Factor of Kappa light) #### Itag		## note procedured of contract			0.000		
## 155 miles ##	_	** One Control of Party of Lanna light chain sons anhancer in R-colls inhibitor alpha)			0.000.0	:=	0 0000055
## Explicit (integrin beta 1 binding protein 1) ## Explicit (allege beta 1 binding beta 1		Tringle (noticed tector of septe figure chart gene children) in 0 certs minister; alpha)			0000	_	0 0000055
## 1500005005 (Notes to 1) 150000505 1500001 15000	100000 2 21	Doubling in the control of the contr			0 0000	<i>-</i>	0 00000
## EDIST, MOGRATER OF MAN 15000000000000000000000000000000000000	8-066001	TO THE BUILDING THE BUILDING TO THE BUILDING TO THE BUILDING TO THE BUILDING T			0.000		0.00000
1 1 1 1 1 1 1 1 1 1	160040-1-81	TECSIS, MODERACELY SIGHTAL OF TECKNATION LINE TO SECURE TO THE CONTROLL OF THE			0.000		
10,000001 10,0000001 10,0000001 10,0000001 10,0000001 10,0000000000		TO INCOLOROUS (INTER CITY INCOLOROUS SERIE)			0000		
10,000014 1,000014		Tagonorius Verie atti process process and a superiorius con a supe			0.000		0.000000
10,00014 24,00014 25,000014 25,000014 25,0001		20.30405MIURIK (BERE WITH PROJECT) UNICLEON UNKNOWN)					0.000000
1		\$5 5052 (5on of sevenless homolog 2)					0.00000
2210023821Rik (RIKEN CDNA 2210023821 gene) 0.000009 0.000009 0.000009 0.000009 0.000009 0.000009 0.000009 0.000019 0.000019 0.000011 0.000019 0.000011 0.000011 0.000011 0.000011 0.000011 0.000012 0.000012 0.000013		🚰 Anpep (alanyl (membrane) aminopeptidase)	_	_			0, 00000
1 1 0.000005 0.00001 0.00001 0.000005 0.00001 0.000005 0.000001 0.000001 0.000001 0.000001 0.000001 0.000013 0.00		😘 2210023K21Rik (RIKEn cDNA 2210023K21 gene)	_				0.0000075
Sphil-pending (sphingosine-1-phosphatase 1) 0.000004 0.000013		4930434J08Rik (RIKEN cDNA 4930434J08 gene)	_		0000 · 0		0.0000075
Second S		Sphil-pending (sphingosine-1-phosphate phosphatase 1)	_	_	0000 O		0.0000085
\$\frac{\frac		Solital (interferon-related developmental regulator 1)	-	_	I 0.000		0.000009
Street S		sporter, pancreatic	_		0000 0		0.00000
at \$\frac{\pi}{\pi}\$ Anxal (annexin A1)	_		_	beed	0000 0		0.0000095
Colonom Wighly similar to hypothetical protein		A Anta (annarin Al)	_	_	0.000	0	0,0000095
4 [13.34] variant listons of the control of the con	,	DALAM (ATP-hinding cascatte cub-family R (MDR/TAP) mombar A)	-	_	0000 0	C	0.0000095
CESTS. Highly similar to hypothetical protein 0.000012 0.000012		Anctivity that the many that the memory of t				<i>.</i>	0 00001
The File ilighty similar to hypothetical protein Control of the file of the fi	100380_at	Constant Distoric				<i>i</i>	0.000
	16-66-2601	The role, lightly similar to hypothetical protein					0.000


Change p-value 0.00001 0.00001 0.00001 0.00001 0.000001 0.000005 0.000005 0.000005 0.000005 0.000005 0.000009	0.000018 0.00001 0.000021 0.000037 0.000037 0.000027 0.000027	0.000001 0.000001 0.000001 0.000014 0.000018 0.00009 0.00009 0.00009 0.00009 0.00009 0.00009	000007 0.000063 000003 0.000079 000008 0.000079 000001 0.000085 0000025 0.000085 000044 0.000085 000044 0.000044 000007 0.000044 0.000099 0.000041 0.000085 0.000014	000153 0.000029 0000115 0.000029 0000115 0.000029 0000115 0.000029 000115 0.00003 000115 0.000003 000115 0.000010 000115 0.000010 000115 0.000010 000117 0.000177 000001 0.000177 000001 0.000177 000001 0.000177
Change (# ESTS (vg72c11.x1 Soares mouse NbMit) (# ESTS (vg72c11.x1 Soares mouse NbMit) (# As589632 (sxpressed sequence As589632) (# Stack) (# Stack)	### A Tank (TRAF family member-associated NI-Kappa B activator) ### A tabb2 (ATPase, H+ transporting, 1ysosomal) ### A tabb2 (ATPase, H+ transporting, 1ysosomal) ### Style (AUI-H-BHZ, 1-ang-h-05-0-UI.sl NHI-BMAP_M_S3.1) ### Suptab gene ### Suptab gene ### Chart (nuclear factor of activated T-cells, cytoplasmic 1) ### Suptab gene ### Chart (nuclear factor of activated T-cells, cytoplasmic 1) ### Suptab gene #### Chart (nuclear factor of activated T-cells, cytoplasmic 1) #### Chart (nuclear factor of activated T-cells, cytoplasmic 1) ####################################	## Atybom (ATPase, H+ transporting) ## Atybom (ATPase, H+ transporting) ## Atybom (ATPase, H+ transporting) ## Atypom (ATPase, H+ transporting) ## Atypom (ATPA 281043300 gene) ## Attack (ATRIA CHANA 281043300 gene) ## Attack (ATPASE) ## Attack (ATPASE) ## Atypom X-actin, cytoskeleton) ## Atypom (ATPASE) ## Attansporting ## Atypom (ATPASE) ## Attansporting ## Atypom (ATPASE) ## Attansporting ## Attanspo	96 ESTS, Weakly similar to The Pleckstrin Homology Domain From Grpl 17 ESTS, Weakly similar to T1249 hypothetical protein TSTS, Weakly similar to T1249 hypothetical protein TSTS (serine protease inhibitor 8) 99 Toing (T-cell, immune regulator 1) 90 Fari (fragile X mental retardation syndrome I homolog) 91 ILIO0310012Rik (RIKEN cDNA 1110018012 gene) 92 ILIO0310031Rik (RIKEN cDNA 1110031N09 gene) 93 ILIO0310031Rik (RIKEN cDNA 1110031N09 gene) 94 AV370033 RIKEN full-length enriched (similar to U36277 Mus muscul 104 AV370033 RIKEN full-length enriched (similar to U36277 Mus muscul 104 Stelfa7 (solute carrier family 16, integral membrane protein) 90 Nocad (unclear receptor coactivator 4)	
Name Probe Set 11599_at 95625_at 92597_s_at 10049_at 10049_at 100042_at 100042_at	A (174A) 103328_31 A (174C) 138577_at A (174B) 2 106073_31 A (174A) 102209_at A (174A) 95795_at A (174A) 102317_at A (174A) 102317_at A (174A) 95064_at A (174A) 95064_at A (174A) 94005_at A (174A) 94005_at	96951_at 97967_at 16561_at 160836_at 117302_at 93773_f_at 2 11418_at 95705_s_at 96919_at 104298_at 104298_at	A (U74C) 168116_f_at A (U74C) 167915_f_at A (U74A) 107205_at A (U74A) 104469_at A (U74A) 104469_at A (U74A) 104469_at A (U74A) 16942_at A (U74A) 167965_f_at A (U74A) 167965_f_at A (U74A) 167965_f_at A (U74A) 167965_f_at A (U74A) 167965_f_at A (U74A) 167965_f_at A (U74A) 167965_f_at	96709_at 137475_at 92542_at 100800_at 169667_f_s 97502_at 103115_at 104671_at 104671_at 98533_at 1466247_at 166247_a


ge p-value Average 0.000165 0.000114		0.00000 0.000125	0.000009 0.0001223	0.000203 0.0001253		0 0.0001263			0.000233 0.0001313					0.00029 0.0001585	660000	000085	0.000011 0.000161	0 0.0001665	660000	000003 0	000085	o	0.000007 0.00017		0.000115 0.0002025		0	0.000382 0.0002055	000408		100000		~ 1	0.000001 0.000234		0.000012 0.0002395		0.000382 U.0002445	0.000002 0.0002819	0.000557 0.000279	_				0.000085 0.000309		0.000649 0.000325	0.000001 0.000323					0		<u>.</u>	•		0,000789 0,0003945	0.000789 0.0003945		0.000841 0.0004205			
Change p-value Chang				0.00004	0.000243	0.000253	0.000063	0. 000023	0.00003	0.000311	0.000092	0.000311	0. 000003	0.000027	0.00022	0.000236	0.000311	0.000333	0.000236	0.000332	0.000253	0.00000	0.000333	0. 000333	0.00029	0.000408	0.000408	0.000029	0.000013	0.000014	0.000437	0.000437	0.000068	0.000467	0.000467	0.000467	0.000079	0.000107	0.000533	0.00001	0.00057	0,000533	0,00057	0.000001	0.000533	0.000649	0.000001	0.000649	0.000843	0.00033	0.000467	0.00022	0.000085	0.000693	0.000739	0.000001	0.000467	0 0	0 00000	0.00057	0, 000361	100000		
ige Status					- •	- •	-			- •		-	-	-	_	_	_		_	_	_	-	-	-	_		-		_		-		-	_		_								_	_	_									_			_					-	
e Change			•	- •	-	-	-	-	_	_		_	-	-		-	-	_	-	-	_		_	-	-	_	-	_	_	_		-	_	100	_	-	_	_	_			-		-	_	_		_																
Change			-	 •		-		-	_	_	-	-	-		bend			. –									-	_	_	-	. –		-				-	-	-	mes)						_	_			_ ,						_	-	_	_	-		- '	-	
	-	190 Rennanding (RPR5-mediating protein)	10 ECT (11 14 RIV 3-20-2-01-01-11 s NIH BUAP W S3.3)	33 537046F10R DIA 5330496F10 Fene)	193 Rot Comp. at 6 cde		1	(The First State of the First S	?!	*** Interference of the control of t		LA ALDE (AIT SYNCHESSE, IN CHAISPOLLING, MILCOLOGIGIA TO COMPLEY,		2	142 4432405K22K1K (KINEN CUNA 4432405KZ Bene)	KS ESTS, UI-M-A01-ael-c-05-0-UI.si NIH_BMAP_MFG_N	ŧ	145 1110021E09Rik (RIKEN cDNA 1110021E09 gene)		₩ 4632432J1GRik (RIKEN cDNA 4632432J16 genc)	4♥8 A1848406 (expressed sequence A1848406)	11 144 4930404NIRik (RIKEN cDNA 4930404NII gene)	it 🔰 🗗 ESTs, Weakly similar to vacuolar ATP synthase subunit D	.t 54 5730403E0GR1k (RIKEN CDNA 5730403E06 gene)	/5% Dnmt3a (DNA methyltransferase 3A)	LS\$ 4833420N02Rik (RIKEN cDNA 4833420N02 gene)	15♥ Itgax (integrin alpha X)	SS Atp6g (ATPase, H+ transporting)	#St Arg2 (arginase type [1])	it 154 (1b1 (galactosidase, beta 1)	ıt 🌃 H2afy (H2A histone family, member Y)	#5♥ AW123240 (expressed sequence AW123240)	(C) Ifi202a (interferon activated gene 202A)	t 🎁 Tefl2 (transcription factor 12)	/62 Atp6b2 (hydrogen-transporting)	t /63 2fp118 (Zinc finger protein 118)	10 Cd53 (CD53 antigen)	at 18 5730507C05Rik (RIKIN CUM 5/3007CUS gene)	Jeep adenylate kinase 3 alpha like	3	3	1 1 2 2500001K11Rik (RIKEN CDNA 2500001K11 gene)	Ē	172 Ube2el (ubiquitin-conjugating enzyme E2E 1)	🙌 Mus musculus, Similar to IK cytokine, down-regulator of HIA II, clone WGC:25508 INDUE:4920169, mnoo	1 174 A1316859 (expressed sequence A1316859)	175 Ptpn8 (protein tyrosine phosphatase, non-receptor type 6)	9	17 5/340438 UNIX (gene With procein product, during the process of	Ęŧ	FO broad het is all location with the second	101 A672926 (FIXEN CINA 4930553M18)	Mer (integral membrane protein)	189 lix (ubiquitously transcribed tetratricopeptide repeat gene)	at 184 1110032A03Rik (RIKEN cDNA 1110032A03 gene)	IS Ltb (lymphotoxin B)					at 190 Albubar (Argressed sequence an lower)	at 11 mm humo gette tekensyon various proporter.	193 intercellular adhesion molecule 1 (ICAM-1) gene, exons 6 and 7	
Probe Set Na	116400 at			163364 00				100302_81	Ē.			99678_f_at	102000_f_at	161969_f_at	103471_at	136663_at	162094_f_at	97919_at	-	108493_at	95288_i_at	8	168210_r_at	166304_f_at	100479_at	161756_at	104308_at		98473_at	161754_f_at	160399_r_at	106617_at	94774 at		92598_at		94939_at		92492_at	102644_at	1142/0_at	166076 r at	114238 at	92660 f at	160397_at	98468_r_at	92356_at		93970_at	140/59_at		04476 at		102222 at	104314_r_at	102940_at	99051_at			103443_at	102211_r_at		103222_at 96752_at	
Analysis Name	A (U74B) 2		A (U/4A)	A (U/4A)	7 (01.10) 8										A (U74A)		A (U74A)	A (U74A)			_		_		A (U74A)			A (U74A)					_				A (U74A)	A (U74A)		A (U74A)	A (U/4B) 2	A (0/4C)	A (1174B)?	A (1174A)	A (U74A)	A (U7.4A)	A (1174A)	A (1174C)	A (U74A)	A (U74C)	A (074A)	A (0/4C)	(014V)	A (1174A)	A (1174A)	A (U74A)	A (U74A)	A (U74C)	A (U74A)	A (U74A)	A (U74A)	A (1174A)	A (11/4A) A (1174A)	


Change Status Change p-value Change p-value Average 1 0.000739 0.000135 0.000427 1 0.000205 0.000649 0.000427 1 0.000649 0.000427 0.000434 1 0.000739 0.000177 0.000438 1 0.000437 0.000488 0.000448 1 1 0.000638 0.0004705 1 1 0.000678 0.0004775 1 1 0.000678 0.0004775 1 1 0.000678 0.0004775 1 1 0.000611 0.0004775 1 1 0.000611 0.0004775 1 1 0.000611 0.0004775 1 1 0.000611 0.0004775 1 1 0.000611 0.000478 1 1 0.000604 0.001017 0.0005105 1 1 0.000604 0.0006195 0.0006195 1 1 0.00	011082 0.000333 011082 0.00009 001152 0.00002 001152 0.00003 001152 0.00003 00126 0.00003 000896 0.00033 00133 0.001152 0.001133 0.001152 0.001133 0.001133 0.01126 0.000133 0.00136 0.00134 0.00137 0.00003 0.001474 0.000003 001474 0.000003 001474 0.000003 001474 0.000003 001474 0.000003 001474 0.000003 001474 0.000003	0.000029 0.00187 0.001887 0.001887 0.001189 0.001187 0.0001187 0.001087 0.001087 0.001087 0.001087 0.001087 0.001087 0.001087 0.001087 0.001087 0.001087 0.001087 0.001087 0.001087 0.001087 0.001087
Change		
Name Hard Golga4 (golgi autoantigen, golgin subfamily a, 4) Hard Golga4 (golgi autoantigen) Hard Golg	កដាន និង និង និង និង និង និង និង និង និង និ	226 0710005A05Rik (RIKEN cDNA 0710005A05 gene) 227 D1995a55e (DNA segment, Chr 19, Wayne State University 55, expressed) 227 D1995a55e (DNA segment, Chr 19, Wayne State University 55, expressed) 227 STAP20 gene 227 Good General Ge
Probe Set Name 102060_at ## 1102060_at ## 192582_at ## 93594_at ## 93934_at ## 102384_at ## 102372_f_at ## 102872_f_at ## 1016167_f_at ## 101866_at ## 96696_at ## 96696_at ## 96696_at ## 96696_at ## 96696_at ## 96710_f_at ## 96935_at ## 109355_at ##	95010_at 98767_at 1167634_iat 1167634_iat 160949_at 110370_at 110370_at 16572_at 166852_at 166852_at 166852_at 166852_at 166852_at 166852_at 16096_at 97853_at 16096_at 16096_at 161695_at 161695_at 161695_at 161695_at 161695_at 161695_at 161695_at 161695_at 161695_at 161695_at 161695_at 161695_at 161695_at 161695_at 161695_at 161695_at 161695_at	101004_sat 101004_sat 101004_sat 101004_sat 103312_cat 103312_cat 100561_at 100561_at 100502_at 105023_cat 101502_at 101502_at 101502_at 101502_at 101502_at 101502_at 101502_at 101502_at 101502_at 101502_at 101502_at 101502_at
T T T T T T T T T T T T T T T T T T T		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2


Change Change Status Change p-value Change p-value Average	I 0.000311 0.001767 0.001039	1 0.000001 0.002112 0.0010565	1 0.001991 0.00154 0.0010755	~	1 1 0.000074 0.002112 \0.001093	I 0.001304 0.000896 0.0011	I 0.000007 0.002195 0.001101	0.00224	0.00224	0.001474	0.000034 0	1 0.001152 0.001304 0.001228	0.001991	1 0.000896 0.001566 0.001231	0.000499	0.000499	0.001248	0.000739	0.000499 0			4 0.001664	1 0.00224 0.001017 0.0016285	9 0.001387	_	i 1 0.001474 0.00224 0.001857	
Gene Name Gene Name		26 1100001F19Rik (gene with protein product, function unknown)	# Tle1 (transducin-like enhancer of split 1, homolog of Drosophila E(spl))	8 Ags, L44L, and Btk genes	Srst (simple repeat sequence-containing transcript)	S D18Erid232e (DNA segment, Chr 18, ERATO Doi 232)	Kon2 (ribophorin 11)	# Pmaipl (phorbol-12-myristate-13-acetate-induced protein 1)	K Gsg2 (germ cell-specific gene 2)	C77982 (expressed sequence C77982)	36 A1851258 (expressed sequence A1851258)	科 A1785475 (ui42fil.xl Sugano mouse liver mlia)	X Mus musculus cDNA clone TWAGE:2136264 3	2 a 450803 (expressed sequence A1450803)	# ESTs. AV152718 Mus musculus hippocempus C578L/6J	J Ilhe2a (ubiquitin-conjugating enzyme E2A)	r at 246 ESTs. Weakly similar to T22586 hypothetical protein F53F4.14 - Caenorhabditis elegans	ESTS. Weakly similar to 700268 hypothetical protein KIAA0597	Artics (integral membrane protein)	AV216087 (vn21e07, rl Knowles Solter mouse blastocyst Bl)	Coth sene for chaperonin containing TCP-1 beta subunit	R Fhat (endometrial bleeding associated factor)	Prok (nro-mRN hrotein kinase)	S Fari (EGF-like module containing, mucin-like, hormone receptor-like sequence 1)	74 pi4Fri4226e. AV232952 RIKEN full-length enriched, O day neonate skin	28 Sutb2 (syntrophin, basic 2)	Gene Name
Z	102205 at 260	_	102425 at 26	94832 at 22	101684 r at 24	99873 r at	94076 i at 24	114812 at 2	99522 at 2	104612 s at 2	160947 at 2	162618 at 2	92338 f at Z	166607 21	166999 at 2	06695 at 2	167626 r at 2	168057 f at 2	94043 at	111381 1 21	160442 21	16090A r at					ž
Analysis Name	A (U74A)	A (1174A)	A (1174A)	(N. 10) A	A (1174A)	(AF10) A	(NF10) A	A (1174R)?	A (1174A)	(MF10) A	(AF10) A (1174A)	(MP (U) A	A (1174A)	(0740)	A (074C)	A (0140)	(074U) *	(11740)	(11744)	A (117.4B) 2	A (07.10) A	A (U745)	A (014C)	A (U/4A)	(0470)	A (U744)	Analysis Nam

Figure 3 A \mathbf{C} cell layer supernatant pg/ml culture periods (day) culture periods (day) MIP-1α MIP-1γ **RANTES**












RAW264.7 cells



В

BM cells





RAW264.7 BM cells

